

- Noise Reduction and Shock Absorption - Smooth and Quiet
- High Strength Carbon Steel, Anti-scratch and Durable
- Industrial Grade Solid Steel Bearing Balls
- 50.000+ times Life Cycle / Heavy Load Capacity
- Double Spring Durable Silent Damper

GLISIERE CU BILE

BALL BEARING SLIDE

45 mm


EXTENSIE TOTALĂ CU AMORTIZARE

SOFT CLOSE & Full Extension


Model 4512AK

35
KG

ПОЗИЦИИ КРЕПЛЕНИЯ К КОРПУСУ / FIXAREA ȘINEI PE CORP



ШИРИНА ЯЩИКА / LĂȚIME SERTARULUI



- Noise Reduction and Shock Absorption - Smooth and Quiet
- High Strength Carbon Steel, Anti-scratch and Durable
- Industrial Grade Solid Steel Bearing Balls
- 50.000+ times Life Cycle / Heavy Load Capacity
- Double Spring Durable Silent Damper

GLISIERE CU BILE

BALL BEARING SLIDE

45 mm


EXTENSIE TOTALĂ CU AMORTIZARE

SOFT CLOSE & Full Extension

Model 4512AK

35
KG


ПОЗИЦИИ КРЕПЛЕНИЯ К ЯЩИКУ / FIXAREA ȘINEI PE SERTAR




			NL
	107	49	250
	97	243	
	97	64	300
	97	293	
	96	96	350
	112	343	
	114	128	400
	112	393	
	132	160	450
	127	443	
	150	192	500
	152	493	
	168	224	550
	178	543	
	192	224	600
	200	593	
		49	

Варианты установки Opțiuni de instalare

Внутренний ящик / Sertar interior



Стандартный ящик / Sertar standard



ШИРИНА ЯЩИКА / LĂȚIME SERTARULUI

